

» Product catalogue

PERFECTION

in Technology + Design

JOMO
The Sanitary-Brand
by the WERIT Group

CONTENT

Product catalog

Topics:	Page:
Contact details	
Customer Service / Sales Representatives	4-5
Conditions	
Delivery and return conditions	6
Seals and certificates	
Certificates / Declarations of Performance	7
The JOMOTech Series	
optimised in every detail	8-53
WC Individual elements	
for customised solutions	10-17
Washbasin individual elements	
for customised solutions	18-23
Urinal elements	
manual or contactless	24-29
Bidet elements	
for customised solutions	30-33
Barrier-free elements	
Flexibility in all life phases	34-39
Other individual elements	
e.g. sink, shower or bath tub	40-53
Concealed cisterns	
50 years of experience guarantee high quality	54-69
Flushing plates	
for WC and Urinal	70-97
LOKUS-POKUS valve and service boxes	
for bath and toilet	98-99
Number index	
Article numbers and belonging page numbers	100-102

Siedziba :

WERIT Polska Sp. z o. o.

ul Zachodnia 2 B
55-330 Błonie

Customer service

Tel.: +48 71 336 25 95

Fax: +48 71 333 65 00

E-Mail: werit@werit.pl

Sales representative area 1:

Tel.: 0048 697 60 26 78

Sales representative area 4:

Tel.: 0048 693 34 89 69

Sales representative area 2:

Tel.: 0048 607 33 46 81

Sales representative area 5:


Tel: 0048 669 47 00 06

Sales representative area 3:

Tel.: 0048 669 28 55 51

Sales representative area 6:

Tel: 0048 783 03 33 35



JOMO spare parts

JOMOTech mounting systems, flushing plates, wall-mounted cisterns

Spare parts availability guarantee:

First of all, we would like to thank you for your interest in the products of the German company WERIT Kunststoffwerke GmbH & Co.KG and the trust you have placed in us by purchasing our products. We hereby give you a guarantee on our products subject to the following conditions. At the same time we would like to inform you that our products have all the necessary technical approvals approvals required throughout Europe as well as approvals for the specialist trade.

Warranty conditions:

1. WERIT Polska Sp. z o.o. gives you a long-term warranty for failure-free operation of the equipment according to specifications below:

Nazwa produktu Product name	Okres gwarancji Guarantee period
JOMOTech - zabudowa lekka JOMOTech - lightweight construction	10 lat / years
JOMOTech - zabudowa ciężka JOMOTech - heavy construction	10 lat / years
JOMOTech - płyty przyciskowe elektroniczne i czujniki JOMOTech - electronic button plates and sensors	2 lata / years
JOMOTech - płyty przyciskowe JOMOTech - push-button plates	2 lata / years
JOMOTech - odpływy liniowe	5 lat / years
Pozostałe wyroby w tym uszczelki/zawory/ceramika/deski sedesowe do wszystkich zawartych elementów w cenniku Other products including gaskets/valves/ceramics/seat boards for all items included in the price list	2 lata / years

Complaints can be made at <https://rma.werit.pl/>.

2. The warranty covers product defects occurring during the warranty period and resulting from causes inherent in the product.
3. The warranty does not cover damage to and defects of the product resulting from incorrect installation - inconsistent with the instructions supplied with the product, use of the product for purposes other than intended, maintenance of the product inconsistent with the manufacturer's recommendations, self-interference with the product, as well as those resulting from pollution and quality of water or water pipes.
4. The Warrantor undertakes to examine each complaint notification,
5. within 14 days from the date of complaint notification by the Purchaser, with the day of complaint notification being the day of its delivery to the Guarantor.
6. The Purchaser shall allow the Guarantor to inspect the product within 7 days from the date of complaint notification by the Purchaser - if the product was permanently installed.
7. Guarantee rights are granted upon submission of an invoice or other proof of purchase.
8. The guarantee does not exclude, limit or suspend the rights of the Buyer resulting from non-compliance of the product with the sales contract.
9. The warranty is valid in the territory of the Republic of Poland.

Authorized service of JOMO products

In order to provide you with full safety and joy of using WERIT Polska products Ltd. we would like to inform that we have authorized service points in whole Poland. If you need to contact an authorized WERIT Polska service, please call +48 71 336 25 95.

Please contact us for detailed technical information and free technical advice:

WERIT Polska Sp z o. o. | ul Zachodnia 2B; 55-330 Błonie

Tel. + 48 71 336 25 95, fax. + 48 71 333 65 00, e-mail: serwis@werit.pl

Seals and certificates



Niebieskiego
Anioła



INTERSEROH-Recykling



Oznakowanie - CE



Certyfikat TÜV







THE JOMOTECH-SERIES

optimised in every detail

- » **Suitable solutions for all bathroom situations**
- » **Completely pre-mounted**
- » **Quick installation**

WC ELEMENT FOR WALL-MOUNTED WC

with concealed cistern SLKplus

Dual-flush technology with front activation

Height 1120 mm, Width 500 mm, Depth 135 mm

Art.-No. 174-91100000-00



Product description:

- ✓ Self-supporting powder-coated mounting frame
- ✓ Pre-wall installation in front of solid or lightweight walls
- ✓ In-wall installation for mounting in lightweight or wooden stud walls
- ✓ Corner mounting with wall bracket
- ✓ Quick mounting in UW profiles
- ✓ With floor fixings, 200 mm height adjustable for floor mounting (RFB-FFB)
- ✓ PE drainage bend DN 90/90, 295 mm long incl. PP reducing piece DN 90/110
- ✓ WC connection set DN 90 for wall-mounted WC
- ✓ Ceramic mounting M12, mounting distance 180 mm or 230 mm
- ✓ Incl. complete mounting and fixing material
- ✓ TÜV certified

Concealed cistern SLKplus



- ✓ Dual-flush technology or start/stop function
- ✓ Condensation water insulated
- ✓ Wall duct with WERIT ball shut-off valve
- ✓ 25 years spare parts security

Optional accessories / Info as of p. 58

- ✓ JOMOTech multi wall holder for hanging in C-rails
- ✓ JOMOTech sound insulation set for Wall and floor mounting
- ✓ JOMOTech special foot supports for use on floors with underfloor heating
- ✓ This cistern is available with PE drain elbow DN 90/110, Art.-No. 174-91100100-00



**Suitable
Flushing plates**
you find from p. 70



THE RIGHT SOLUTION FOR EVERY SITUATION

the variety of SLKplus concealed cisterns


WC element for odour extraction Art.-No. 174-91102000-00



- ✓ Incl. connection pipe DN 50 on the flush pipe bend

Dimensions:

Height: 1120 mm
Width: 500 mm
Depth: 135 mm




WC element with width 450 mm Art.-No. 174-91101500-00



- ✓ Ideal for corner mounting in conjunction with wall bracket
- ✓ Deeper wall mounting of the sink box suitable for MDF panels

Dimensions:

Height: 1120 mm
Width: 450 mm
Depth: 165 mm




Children's WC element or pedestal WC Art.-No. 174-91102100-00



- ✓ For children's bathrooms or kindergartens
- ✓ Commercially available stand-alone toilets

Dimensions:

Height: 1120 mm
Width: 500 mm
Depth: 135 mm



WC ELEMENT FOR WALL-MOUNTED WC

with concealed cistern SLS

Dual-flush technology with front and top activation

Height 820 mm, Width 500 mm, Depth 150 mm

Art.-No. 174-91300000-00

Product description:

- ✓ Self-supporting powder-coated mounting frame
- ✓ Pre-wall installation in front of solid or lightweight walls
- ✓ In-wall installation for mounting in lightweight or wooden stud walls
- ✓ Ideal for use under window sills or sloping ceilings
- ✓ Corner mounting with wall bracket
- ✓ Quick mounting in UW profiles
- ✓ With floor fixings, 200 mm height adjustable for floor mounting (RFB-FFB)
- ✓ PE drainage bend DN 90/90, 295 mm long incl. PP reducing piece DN 90/110
- ✓ WC connection set DN 90 for wall-mounted WC
- ✓ Ceramic mounting M12, mounting distance 180 mm or 230 mm
- ✓ Incl. complete mounting and fixing material

Concealed cistern SLS

- ✓ Dual-flush technology
- ✓ Condensation water insulated
- ✓ Wall duct with WERIT ball shut-off valve
- ✓ 25 years spare parts security


Optional accessories / Info as of p. 60

- ✓ JOMOTech multi wall holder for hanging in C-rails
- ✓ JOMOTech sound insulation set for Wall and floor mounting
- ✓ JOMOTech special foot supports for use on floors with underfloor heating



**Suitable
Flushing plates**
you find from p. 90 and 91

Front or top activation



WC ELEMENT FOR WALL-MOUNTED WC

with concealed cistern SLS

Dual-flush technology with front and top activation

Height 980 mm, Width 500 mm, Depth 150 mm

WC element for wall-mounted WC
with concealed cistern SLS


Art.-No. 174-91200000-00

Dimensions:

Height: 980 mm

Width: 500 mm

Depth: 150 mm



HYGIENE WC ELEMENT

matching Vitra wall-mounted WCs with bidet function

Dual-flush technology with front activation

Height 1120 mm, Width 500 mm, Depth 135 mm

Art.-No. **174-91181100-00**

The modern hygiene toilet is a combination of toilet and bidet that enables intimate hygiene with water. This WC/bidet combination is increasingly becoming part of the upscale basic equipment of every household and does justice to the increasing sense of cleanliness. The well-known ceramic manufacturer Vitra and WERIT have many years of experience in this field.

Product description:

- ✓ Self-supporting powder-coated mounting frame
- ✓ Pre-wall installation in front of solid or lightweight walls
- ✓ In-wall installation for mounting in lightweight or wooden stud walls
- ✓ Corner mounting with wall bracket
- ✓ Quick mounting in UW profiles
- ✓ With floor fixings, 200 mm height adjustable for floor mounting (RFB-FFB)
- ✓ PE drainage bend DN 90/90, 295 mm long incl. PP reducing piece DN 90/110
- ✓ WC connection set DN 90 for wall-mounted WC
- ✓ Ceramic mounting M12, mounting distance 180 mm or 230 mm
- ✓ Incl. complete mounting and fixing material

Concealed cistern SLKplus

- ✓ Dual-flush technology or start/stop function
- ✓ Safety device according to DIN EN 1717 type AD (free outlet with injector. Not suitable in conjunction with an instantaneous water heater).
- ✓ Connection line to the ceramic
- ✓ Condensation water insulated
- ✓ Wall duct with WERIT ball shut-off valve
- ✓ 25 years spare parts security

Accessories


- ✓ JOMOTech mounting plate for all commercially available concealed fittings
- ✓ JOMOTech traverse for shortened ceramics
- ✓ JOMOTech connection set for Vitra ceramics, connection line from the safety device to the ceramic, incl. transition
- ✓ JOMOTech water intake plate for Vitra ceramics with integrated fitting, incl. connection line to safety device
- ✓ For JOMOTech, backflow preventer with nozzle AD1.5, not suitable in conjunction with an instantaneous water heater!
- ✓ JOMOTech multi wall holder for hanging in C-rails
- ✓ JOMOTech sound insulation set for Wall and floor mounting
- ✓ JOMOTech special foot supports for use on floors with underfloor heating



**Suitable
Flushing plates**
you find from p. 70

OVERVIEW

Concealed cistern SLKplus



JOMOTech Accessories:

Product: **Mounting plate**

Art.-No.: **174-70000900-00**

Product: **Traverse**

Art.-No.: **174-60000800-00**

Product: **Connection kit**

Art.-No.: **171-20340000-0**

Product: **Water absorption plate**

Art.-No.: **174-60000900-00**



Product: **Backflow preventer** (without fig.)

Art.-No.: **174-70019001-00**

ACCESSORIES

Fitting table for JOMOTech + Vitra shower toilets

With the help of this fitting table, you can see the accessories required when using one of the listed ceramics. The WC element and the corresponding accessories can be obtained from WERIT, the ceramics from Vitra.

Vitra Art.-No.	Vitra WCs incl. bidet function	Product description
5173B003-0090	Options Nest	Washdown flush with closed flushing rim
5173B003-1084	Options Nest, integrated fitting right	Washdown flush with closed flushing rim
5173B003-1584	Options Nest, integrated thermostat fitting right	Washdown flush with closed flushing rim
5176B003-0090	Options Nest, VitraFlush 2.0	Washdown flush rimless
5176B003-1084	Options Nest, VitraFlush 2.0, integrated fitting right	Washdown flush rimless
5176B003-1584	Options Nest, VitraFlush 2.0, integrated thermostat fitting right	Washdown flush rimless
5676B003-0090	Metropole, integrated thermostat fitting right	Washdown flush with closed flushing rim
5676B003-1084	Metropole, integrated fitting right	Washdown flush with closed flushing rim
5676B003-1584	Metropole, integrated thermostat fitting right	Washdown flush with closed flushing rim
7672B003-0090	Metropole, VitraFlush 2.0	Washdown flush rimless
7672B003-1084	Metropole, VitraFlush 2.0, integrated fitting right	Washdown flush rimless
7672B003-1584	Metropole, VitraFlush 2.0, integrated thermostat fitting right	Washdown flush rimless
4392B003-1298	Shift	Washdown flush with closed flushing rim
7742B003-0090	Shift, VitraFlush 2.0	Washdown flush rimless
4337B003-0090	Options Sento, Compact	Washdown flush with closed flushing rim
4448B003-0090	Options Sento	Washdown flush with closed flushing rim
7747B003-0090	Options Sento, Compact, VitraFlush 2.0	Washdown flush rimless
7748B003-0090	Options Sento, VitraFlush 2.0	Washdown flush rimless
5318L003-0850	S50	Washdown flush with closed flushing rim
5319L003-0850	S50	Flat flush valve with closed flushing rim
7740B003-0850	S50, VitraFlush 2.0	Washdown flush rimless
5507B003-0850	S20	Washdown flush with closed flushing rim
7741B003-0850	S20, VitraFlush 2.0	Washdown flush rimless
7749B003-0850	S20, Compact, VitraFlush 2.0	Washdown flush rimless
www.jomo.eu	www.vitra-bad.de	*without WC seat



Hygiene WC element
174-91180000-00

Connection kit
171-20340000-00

Mounting plate
174-70000900-00

Traverse
174-60000800-00

Water absorption plate
174-60000900-00

[illegible]





WASHBASIN INDIVIDUAL ELEMENTS

for customised solutions

- » Bracket for mounting of wall discs
- » For single-hole and wall-mounted mixer

BASIC WASHBASIN ELEMENT

for standard washbasins

For single-hole fitting

Height 1120 mm, Width 500 mm, Depth 90 mm


Art.-No. 174-92100000-00

Product description:

- ✓ Self-supporting mounting frame with powder-coated surface
- ✓ Pre-wall installation in front of solid or lightweight walls
- ✓ In-wall installation for mounting in lightweight or wooden stud walls
- ✓ Corner mounting with wall bracket
- ✓ Quick mounting in UW profiles
- ✓ With floor fixings, 200 mm height adjustable for floor mounting (RFB-FFB)
- ✓ Mounting plates for wall plates / connection boxes
- ✓ All traverses movable
- ✓ Extended drainage bend DN 50/40; 80x180 mm
- ✓ Sound insulated pipe clamp
- ✓ Rubber manchette 32 mm
- ✓ Ceramic fixing M8, fixing distance 80 mm to 150 mm
- ✓ Complete mounting and fixing material
- ✓ TÜV certified

Optional accessories / Info as of p. 58

- ✓ JOMOTech multi wall holder for hanging in C-rails
- ✓ JOMOTech sound insulation set for Wall and floor mounting
- ✓ JOMOTech special foot supports for use on floors with underfloor heating



THE RIGHT SOLUTION FOR EVERY SITUATION


the variety of washbasin elements

Washbasin element with integrated counter section Art.-No. 174-92100400-00



Optional: Prefabricated set make Meibes
Oberbau ZOOM DN 15, Art.-No. M1300680
(order directly from Meibes)

- ✓ 2 DN20 (3/4") UP fittings Combination (Rotguss) and extension for corner valve (1/2")
- ✓ 2 insulating shells for UP valve and water meter
- ✓ Sound-insulated brackets UP combination
- ✓ Building protection caps for UP valve
- ✓ Measuring capsule Universal thread KOAX G2
- ✓ Completely pre-mounted and pressure tested
- ✓ UP Combination spacing min. 120 mm/150mm max. 200 mm
- ✓ Connecting elbow DN 50 with protective cap and rubber nipple height adjustable and soundproofed
- ✓ All traverses movable




Dimensions:

Height: 1120 mm
Width: 500 mm
Depth: 135 mm

Washbasin element for UP wall fitting Art.-No. 174-92200200-00



- ✓ Waterproof glued veneer wood panel for Washbasin mounting
- ✓ All traverses (also with wooden plate) movable



Dimensions:

Height: 1120 mm
Width: 500 mm
Depth: 135 mm


THE RIGHT SOLUTION FOR EVERY SITUATION

the variety of washbasin elements

Washbasin element for concealed wall fitting Art.-No. 174-92200000-00



- ✓ Mounting plate for Wall plate / connection boxes
- ✓ Depth-adjustable mounting plate for inflow pipe from above




Dimensions:

Height: 1120 mm
Width: 550 mm
Depth: 90 mm

Washbasin element for single-hole fitting Art.-No. 174-92100200-00



- ✓ Traverse with wooden plate movable
- ✓ Waterproof glued veneer wood panel for Washbasin mounting




Dimensions:

Height: 1120 mm
Width: 500 mm
Depth: 90 mm

**Washbasin element
for single-hole fitting**
Art.-No. 174-92100300-00



- ✓ Variable height by adjusting the Footrests
- ✓ Footrests 330 mm height adjustable



Dimensions:

Height: 850-980 mm
Width: 500 mm
Depth: 90 mm





URINAL ELEMENTS

manual or contactless

- » Manual activation
- » Contactless infrared control
or with concealed sensor

BASIC URINAL ELEMENT

Basic urinal element with shell kit for infrared and manual operation

For the installation of the JOMO EXCLUSIVE flushing plate

Height 1120 mm, Width 500 mm, Depth 120 mm


Art.-No. 174-93000000-00

Product description:

- ✓ Self-supporting mounting frame with powder-coated surface
- ✓ Pre-wall installation in front of solid or lightweight walls
- ✓ In-wall installation for mounting in lightweight or wooden stud walls
- ✓ Corner mounting with wall bracket
- ✓ Quick mounting in UW profiles
- ✓ With floor fixings, 200 mm height adjustable for floor mounting (RFB-FFB)
- ✓ Premounted plastic raw construction kit
- ✓ Pre-locking
- ✓ Flush plug
- ✓ Styrofoam building protection
- ✓ Pre-installed non-detachable connection between shell set and inlet
- ✓ Incl. urinal connections
- ✓ Drainage bend DN 50
- ✓ Sound insulated pipe clamp
- ✓ Urinal inlet spigot 1/2"
- ✓ For all commercially available suction and urinal basins with concealed inlet/outlet
- ✓ Incl. complete mounting and fixing material

Optional accessories / Info as of p. 58

- ✓ Finished installation set with flushing plates
- ✓ JOMOTech multi wall holder for hanging in C-rails
- ✓ JOMOTech sound insulation set for Wall and floor mounting
- ✓ JOMOTech special foot supports for use on floors with underfloor heating



THE RIGHT SOLUTION FOR EVERY SITUATION

the variety of urinal elements

Urinal element for JOMO Tronic
Urinal control with concealed sensor
Art.-No. 174-93000100-00

JOMO
tronic




- ✓ Vandalism protected/
ideal for public areas

Dimensions:

Height: 1120 mm
Width: 500 mm
Depth: 120 mm

Optional: Prefabricated set JOMO Tronic
on page 96




Urinal element for flush-mounted
urinal flush valve
Art.-No. 174-93000200-00



- ✓ For commercially available urinals

Dimensions:

Height: 1120 mm
Width: 500 mm
Depth: 100 mm




Urinal element for AP urinal
flush valve
Art.-No. 174-93000300-00



- ✓ For commercially available urinals
with flushing valve

Dimensions:

Height: 1120 mm
Width: 500 mm
Depth: 100 mm



THE RIGHT SOLUTION FOR EVERY SITUATION

the variety of urinal elements

Urinal element for waterless Urinal basins


Art.-No. 174-93000500-00



- ✓ No water connection required

Dimensions:

Height: 1120 mm
Width: 500 mm
Depth: 100 mm



Urinal element for actuation from top


Art.-No. 174-93000600-00



- ✓ With shell kit
- ✓ For JOMO EXCLUSIVE pressure flush
- ✓ For manual activation

Dimensions:

Height: 1120 mm
Width: 500 mm
Depth: 140 mm







BIDET ELEMENTS

for customised solutions

- » **Perfect intimate hygiene**
- » **Available in two heights**

BIDET ELEMENTS

for single-hole fitting

For all commercially available wall-mounted bidets

Height 1120 mm, Width 500 mm, Depth 135 mm


Art.-No. 174-94000000-00

Product description:

- ✓ Self-supporting powder-coated mounting frame
- ✓ Pre-wall installation in front of solid or lightweight walls
- ✓ In-wall installation for mounting in lightweight or wooden stud walls
- ✓ Corner mounting with wall bracket
- ✓ Quick mounting in UW profiles
- ✓ With floor fixings, 200 mm height adjustable for floor mounting (RFB-FFB)
- ✓ Mounting plates for wall plates / connection boxes
- ✓ Extended drainage bend DN 50/40; 80x180 mm
- ✓ Sound insulated pipe clamp
- ✓ Rubber manchette 32 mm
- ✓ For all commercially available wall-mounted bidets
- ✓ Incl. complete mounting and fixing material

Optional accessories / Info as of p. 58

- ✓ JOMOTech multi wall holder for hanging in C-rails
- ✓ JOMOTech sound insulation set for Wall and floor mounting
- ✓ JOMOTech special foot supports for use on floors with underfloor heating



THE RIGHT SOLUTION FOR EVERY SITUATION

Bidet elements


Bidet elements for single-hole fitting

Art.-No. 174-94200100-00


✓ For all commercially available wall Bidets

Dimensions:

Height: 820 mm
Width: 500 mm
Depth: 135 mm







BARRIER-FREE ELEMENTS

Flexibility in all life phases

- » **Increased safety due to
Support / folding handles**

WC ELEMENT, BARRIER-FREE

for wall-hung WC with concealed cistern SLKplus

Dual-flush technology with front activation

Height 1120 mm, Width 500 mm, Depth 135 mm

Art.-No. **174-80000000-00**

Product description:


- ✓ Raised bolt holder 380 mm for WC ceramics
- ✓ Self-supporting powder-coated mounting frame
- ✓ Pre-wall installation in front of solid or lightweight walls
- ✓ In-wall installation for mounting in lightweight or wooden stud walls
- ✓ Corner mounting with wall bracket
- ✓ Quick mounting in UW profiles
- ✓ With floor fixings, 200 mm height adjustable for floor mounting (RFB-FFB)
- ✓ PE drainage bend DN 90/90, 295 mm long incl. PP reducing piece DN 90/110
- ✓ WC connection set DN 90 for wall-mounted WC
- ✓ Ceramic mounting M12, mounting distance 180 mm or 230 mm, Incl. complete mounting and fixing material
- ✓ TÜV certified

Concealed cistern SLKplus

- ✓ Dual-flush technology or start/stop function
- ✓ Condensation water insulated
- ✓ Wall duct with WERIT Ball shut-off valve
- ✓ 25 years spare parts security

Optional accessories / Info as of p. 58

- ✓ JOMOTech multi wall holder for hanging in C-rails
- ✓ JOMOTech sound insulation set for Wall and floor mounting
- ✓ JOMOTech special foot supports for use on floors with underfloor heating



WC ELEMENT, BARRIER-FREE

with two waterproof glued veneer wood panels for support and handles


Quick assembly through one-time alignment

Height 1120 mm, Width 880 mm, Depth 165 mm

Art.-No. **174-81100000-00**

Product description:


- ✓ Raised bolt holder 380 mm for WC ceramics
- ✓ Incl. two waterproof glued veneer wood panels
- ✓ TÜV certified



For single-hole fitting

Height 1120 mm, Width 500 mm, Depth 100 mm

Notice:



THE RIGHT SOLUTION FOR EVERY SITUATION

Washbasin element, barrier-free


Washbasin element, barrier-free
for surface-mounted wall fitting
Art.-No. 174-82200000-00



- ✓ With pre-mounted UP odour trap

Dimensions:

Height: 1120 mm
Width: 500 mm
Depth: 100 mm




Washbasin element, barrier-free
for concealed mixer tap/electronics
Art.-No. 174-82300000-00



- ✓ With pre-mounted UP odour trap
- ✓ Incl. waterproof glued veneer wood panel

Dimensions:

Height: 1120 mm
Width: 500 mm
Depth: 100 mm




Element for support and grab rails
Art.-No. 174-8050100-00



- ✓ Für handelsübliche Stütz und Haltegriffe
- ✓ Incl. waterproof glued veneer wood panel

Dimensions:

Height: 1120 mm
Width: 365 mm
Depth: 50 mm





A modern shower stall with glass doors and dark, textured tiles. The showerhead is mounted on the wall, and a handheld shower wand is attached to a vertical bar. A white towel rack is visible in the background.

OTHER INDIVIDUAL ELEMENTS

e.g. sink, shower or bath tub

- » For different areas of use
- » In private and public areas

ELEMENT FOR SHOWER/BATHTUB

for surface-mounted fitting

With mounting plate for wall plates / connection boxes

Height 1120 mm, Width 500 mm, Depth 100 mm



Art.-No. 174-70000400-00

Product description:

- ✓ Self-supporting powder-coated mounting frame
- ✓ Pre-wall installation in front of solid or lightweight walls
- ✓ In-wall installation for mounting in lightweight or wooden stud walls
- ✓ Corner mounting with wall bracket
- ✓ Quick mounting in UW profiles
- ✓ With floor fixings, 200 mm height adjustable for floor mounting (RFB-FFB)
- ✓ Mounting plates for wall plates / connection boxes
- ✓ Traverse movable
- ✓ Incl. complete mounting and fixing material

Optional accessories / Info as of p. 58

- ✓ JOMOTech multi wall holder for hanging in C-rails
- ✓ JOMOTech sound insulation set for Wall and floor mounting
- ✓ JOMOTech special foot supports for use on floors with underfloor heating



SINK ELEMENT

for commercially available sinks

With mounting plate for wall plates / connection boxes

Height 1300 mm, Width 500 mm, Depth 100 mm

Art.-No. 174-70000300-00


Product description:

- ✓ Self-supporting powder-coated mounting frame
- ✓ Pre-wall installation in front of solid or lightweight walls
- ✓ In-wall installation for mounting in lightweight or wooden stud walls
- ✓ Corner mounting with wall bracket
- ✓ Quick mounting in UW profiles
- ✓ With floor fixings, 200 mm height adjustable for floor mounting (RFB-FFB)
- ✓ All traverses incl. wooden panel movable
- ✓ Mounting plates for wall plates / connection boxes
- ✓ Drainage bend DN 50
- ✓ Sound insulated pipe clamp

- ✓ Wooden panel made of waterproof glued veneer wood panel
- ✓ For commercially available sinks
- ✓ Incl. complete mounting and fixing material

Optional accessories / Info as of p. 58

- ✓ JOMOTech multi wall holder for hanging in C-rails
- ✓ JOMOTech sound insulation set for Wall and floor mounting
- ✓ JOMOTech special foot supports for use on floors with underfloor heating



THE RIGHT SOLUTION FOR EVERY SITUATION

Elements for shower/bathtub

Element for shower/bathtub for flush-mounted fitting


Art.-No. 174-70000500-00



- ✓ For wall connection elbow for hand shower

Dimensions:

Height: 1120-1300 mm
Width: 500 mm
Depth: 100 mm



Element for bathtub for surface-mounted fitting


Art.-No. 174-70000600-00



- ✓ With mounting plate for wall plates/connection boxes
- ✓ 330 mm height adjustable for floor construction (RFB-FFB)

Dimensions:

Height: 820-890 mm
Width: 500 mm
Depth: 100 mm



Element for bathtub for flush-mounted fitting


Art.-No. 174-70000700-00



- ✓ With mounting plate for wall plates/connection boxes
- ✓ 330 mm height adjustable for floor construction (RFB-FFB)

Dimensions:

Height: 820-980 mm
Width: 500 mm
Depth: 100 mm




ELEMENT FOR EMPTY SPACES

for bridging empty spaces over 600 mm

To accommodate various components such as flush-mounted bathroom furniture

Height 1120 mm, Width 500 mm, Depth 100 mm

Art.-No. 174-70001000-00




Product description:

- ✓ Self-supporting powder-coated mounting frame
- ✓ Pre-wall installation in front of solid or lightweight walls
- ✓ In-wall installation for mounting in lightweight or wooden stud walls
- ✓ Corner mounting with wall bracket
- ✓ Quick mounting in UW profiles
- ✓ With floor fixings, 200 mm height adjustable for floor mounting (RFB-FFB)
- ✓ Incl. complete mounting and fixing material

Optional accessories / Info as of p. 58

- ✓ JOMOTech multi wall holder for hanging in C-rails
- ✓ JOMOTech sound insulation set for Wall and floor mounting
- ✓ JOMOTech special foot supports for use on floors with underfloor heating



Element for empty spaces


Art.-No. 174-70001100-00



- ✓ 330 mm height adjustable for floor construction (RFB-FFB)

Dimensions:

Height: 820-980 mm
Width: 500 mm
Depth: 100 mm



ELEMENT FOR WASHING MACHINE

with washing machine siphon

With mounting plate for wall plates / connection boxes

Height 1120 mm, Width 500 mm, Depth 100 mm

Art.-No. 174-70001200-00




Product description:

- ✓ Self-supporting powder-coated mounting frame
- ✓ Pre-wall installation in front of solid or lightweight walls
- ✓ In-wall installation for mounting in lightweight or wooden stud walls
- ✓ Corner mounting with wall bracket
- ✓ Quick mounting in UW profiles
- ✓ With floor fixings, 200 mm height adjustable for floor mounting (RFB-FFB)
- ✓ Incl. complete mounting and fixing material

Optional accessories / Info as of p. 58

- ✓ JOMOTech multi wall holder for hanging in C-rails
- ✓ JOMOTech sound insulation set for Wall and floor mounting
- ✓ JOMOTech special foot supports for use on floors with underfloor heating



Element for washing machine


Art.-No. 174-70001300-00



- ✓ 330 mm height adjustable for floor construction (RFB-FFB)

Dimensions:

Height: 820-980 mm
Width: 500 mm
Depth: 100 mm



FAECES SINK ELEMENT

with concealed cistern SLKplus

Dual-flush technology or start/stop function / For commercially available faeces sinks

Height 1600 mm, Width 500 mm, Depth 135 mm

Art.-No. 174-70000800-00



Product description:


- ✓ Self-supporting powder-coated mounting frame
- ✓ Pre-wall installation in front of solid or lightweight walls
- ✓ In-wall installation for mounting in lightweight or wooden stud walls
- ✓ Corner mounting with wall bracket
- ✓ Quick mounting in UW profiles
- ✓ With floor fixings, 200 mm height adjustable for floor mounting (RFB-FFB)
- ✓ For commercially available faeces sinks
- ✓ Mounting plates for wall plates / connection boxes
- ✓ PE drainage bend DN 90/90, 295 mm long incl. PP reducing piece DN 90/110
- ✓ Ceramic mounting M12, mounting distance 180 mm or 230 mm,
- ✓ Incl. traverse for surface-mounted armatures
- ✓ Incl. complete mounting and fixing material
- ✓ TÜV certified

Concealed cistern SLKplus

- ✓ Dual-flush technology oder Start-Stopp-Funktion
- ✓ Condensation water insulated,
- ✓ Wall duct with WERIT Ball shut-off valve
- ✓ 25 years spare parts security


Optional accessories / Info as of p. 58

- ✓ JOMOTech multi wall holder for hanging in C-rails
- ✓ JOMOTech sound insulation set for Wall and floor mounting
- ✓ JOMOTech special foot supports for use on floors with underfloor heating



for wall-mounted sink Laufen Bernina

Height 1600 mm, Width 500 mm, Depth 135 mm



ACCESSORIES FOR JOMOTECH

Multi wall bracket for single elements, available in two lengths

For wall and rail mounting

360° rotatable, infinitely variable angle adjustment


For Depth 135-150 mm
Art.-No. 174-70010100-00



Product description:

- ✓ Suitable for wall overhangs or corner mounting
- ✓ Simple hooking into commercially C-rails with the dimension 27 x 18 mm, profile opening 15 mm
- ✓ Depth adjustment from front
- ✓ Easy to assemble

- ✓ 2 pieces zinc die-cast parts
- ✓ Mounting and connection plate
- ✓ Foldable connection for slopes, corners, offsets
- ✓ Incl. support for planking




For Depth 175-300 mm
Art.-No. 174-70010200-00



Product description:

- ✓ see above



Advantages of the new JOMOTech Multi wall holder

Thanks to the infinitely variable angle adjustment, the multi wall bracket can be used flexibly. Wall projections or corner installations mean no time-consuming extra work for the installer.

The new multi wall bracket makes it easy to hang the JOMOTech elements in standard C-rails with dimensions of 27 x 18 mm and a profile opening of 15 mm.



OPTIONAL ACCESSORIES / TRAVERSES

Footrests, 1 set, 800 mm
Art.-No. 173-50100100-00

Product description:

- ✓ For floor construction from 200 - 400 mm
- ✓ Extended version, Length 800 mm

Special foot rests, 1 set
Art.-No. 173-50100007-00

Product description:

- ✓ For the use of drywall elements
- ✓ On floors with underfloor heating
- ✓ Incl. fastening screws



Sound insulation set
Art.-No. 173-30030000-00

Product description:

- ✓ Structure-borne sound decoupling of the wall and floor mounting
- ✓ With underlay and screw decoupling
- ✓ 4 sound insulation pads for mounting plates for structural decoupling
- ✓ 4 pcs. washers for screw decoupling




Traverse for shortened ceramics

Art.-No. 174-60000800-00



Product description:

- ✓ Matching the standard elements with WEK SLKplus and SLS
- ✓ Incl. fastening screws



Multi-Traverse for drywall

Art.-No. 174-60000100-00




Product description:

- ✓ Support for wall plates/connection boxes, console loads, UP fittings, UP measuring devices, hanging storage tanks, circulating water heaters
- ✓ Depth adjustment 0-70 mm
- ✓ 4 x machine screw 8 x 20
- ✓ 4 x nuts
- ✓ 8 x washers
- ✓ With waterproof glued veneered wood panel


Dimensions:

Height: 210 mm
Width: 575 mm
Depth: min. 100 mm



Cross bar for washing machine for drywall

Art.-No. 174-60000200-00




Product description:

- ✓ Mounting for wall plates/connection boxes
- ✓ Incl. washing machine UP siphon
- ✓ Depth adjustment 0-70 mm
- ✓ 4 x machine screw 8 x 20
- ✓ 4 x nuts
- ✓ 8 x washers
- ✓ With waterproof glued veneered wood panel

Dimensions:

Height: 210 mm
Width: 575 mm
Depth: min. 100 mm



TRAVERSES

Traverse for sinks for drywall **Art.-No. 174-60000300-00**




Product description:

- ✓ Mounting plates for wall plates/ connection boxes or flush-mounted installation bodies
- ✓ Incl. HT bend DN 50
- ✓ 4 x machine screw 8 x 20
- ✓ 4 x nuts
- ✓ 8 x washers
- ✓ With waterproof glued veneered wood panel

Dimensions:

Height: 610 mm
Width: 575 mm
Depth: min. 100 mm



Traverse washbasin for drywall **Art.-No. 174-60000400-00**




Product description:

- ✓ Mounting for wall plates/ connection boxes
- ✓ 4 x machine screw 8 x 20
- ✓ 4 x nuts
- ✓ 8 x washers
- ✓ With waterproof glued veneered wood panel
- ✓ Extended drainage bend DN 50/40; 80x180 mm
- ✓ Sound insulated pipe clamp

- ✓ Rubber manchette 32 mm

Dimensions:

Height: 360 mm
Width: 575 mm
Depth: min. 100 mm



**Drywall traverse
for washing machine**
Art.-No. 174-60000500-00



Product description:

- ✓ Incl. UP washing machine siphon
- ✓ Mounting plates for wall plates/
connection boxes

Dimensions:

Width: 500 mm

**Drywall traverse
for surface-mounted fitting**
Art.-No. 174-60000600-00



Product description:

- ✓ Mounting plates for wall plates/
connection boxes

Dimensions:

Width: 500 mm

**Drywall traverse
for washbasin**
Art.-No. 174-60000700-00



Product description:

- ✓ Extended drainage bend DN
50/40; 80x180 mm
- ✓ Sound insulated pipe clamp
- ✓ Rubber manchette 32 mm
- ✓ Mounting plates for wall plates/
connection boxes

Dimensions:

Width: 500 mm





CONCEALED CISTERNS

50 years of experience guarantee high quality

- » Quick and simple assembly
- » Stepless setting of the flush volume
- » 25 years spare parts warranty
- » Tested safety according to DIN EN 14055

JOMOLight MOUNTING ELEMENT WITH WEK SLKplus

for walling in and out

Dual-flush technology with front activation

Height 770 mm, Width 420 mm, Depth 125 mm

Art.-No. 164-14600400-00



Product description:


- ✓ Quick and simple assembly
- ✓ Stepless setting of the flush volume
- ✓ U-shaped, galvanised element for walling in and out
- ✓ PE drainage bend DN 90/110
- ✓ WC connection set DN 90 for wall-mounted WC
- ✓ Ceramic mounting M12, mounting distance 180 or 230 mm
- ✓ Incl. complete mounting and fixing material

Concealed cistern SLKplus

- ✓ Dual-flush technology or start/stop function
- ✓ Condensation water insulated
- ✓ Corner valve 1/2"
- ✓ Building protection for inspection opening, suitable for trimming
- ✓ 25 years spare parts security
- ✓ TÜV certified/DIN EN 14055 tested/Conforms to European standard for cisterns

Optional accessories / Info as of p. 58

- ✓ Styrofoam filling segment



Suitable
Flushing plates
you find from p. 70

JOMOLight mounting element with WEK SLKplus

Art.-No. 164-14600700-00



- ✓ Incl. filling segment

Dimensions:

Height: 770 mm
Width: 420 mm
Depth: 125 mm

JOMOLight MOUNTING ELEMENT WITH WEK SLS

for walling in and out

Dual-flush technology with front and top activation

Height 505 mm, Width 426 mm, Depth 179 mm


Art.-No. **164-14300400-00**

Product description:

- ✓ Quick and simple assembly
- ✓ Stepless setting of the flush volume
- ✓ U-shaped, galvanised element for walling in and out
- ✓ PE drainage bend DN 90/110
- ✓ WC connection set DN 90 for wall-mounted WC
- ✓ Ceramic mounting M12, Mounting distance 180 or 230 mm
- ✓ Incl. complete mounting and fixing material

Concealed cistern SLS

- ✓ Dual-flush technology
- ✓ Front or top activation
- ✓ Condensation water insulated
- ✓ Corner valve 1/2"
- ✓ Building protection for inspection opening, suitable for trimming
- ✓ 25 years spare parts security
- ✓ TÜV certified/ DIN EN 14055 tested/ Conforms to European standard for cisterns




**Suitable
Flushing plates**
you find from p. 90 und 91

ACCESSORIES FOR CONCEALED CISTERN SLKplus

Spare parts and exploded drawings

No.	Description	Art.-No.
	Spindle with slot for corner valve with wall grommet (from 01.2008 - 06.2016)	171-61300110-00
1	Wall duct with WERIT Ball shut-off valve	171-61300600-00
2	Spray protection plate incl. pressure bolts SLK for EXCLUSIVE und CLASSIC	171-68000700-00
3	Lever bearing, complete SLK	171-68000400-00
4	1 set (2 pieces) quick fastening bolt and bolt pin	171-64000500-00
5	Support frame for flush plate SLK CLASSIC dual flush	171-68001000-00
5a	Support frame for flush plate SLK CLASSIC Start/Stop	171-68000600-00
5b	Support frame for flush plate SLK / EXCLUSIVE	171-68002000-00
5c	Support frame for flush plate SLK ELEGANCE / AVANTGARDE	171-68002100-00
5d	Support frame for flush plate SLK / SWITCH	171-68002700-00
6	Outlet valve 2.0 incl. floor valve incl. splash guard plate with closing plate	171-57919100-00
7	PE drainage bend DN 90/110, 295 x 120 mm	171-20100000-00
7a	PE drainage bend DN 90/90 295 x 120 mm	171-20110000-00
7b	PP adapter set DN 90/110	171-20120000-00
	Straight connection piece, DN 90, 325 mm long	171-20302100-00
8	Closing plate PU 10 pcs.	171-69287100-00
9	Safety element SLK short	171-68001400-00
9a	Safety element SLK long	171-68001800-00
10	Filling valve holder	171-68001300-00
11	Filler valve replacement kit consisting of: filler valve, flexible connecting hose $\frac{3}{8}$ "	171-48750100-00
12	WC connector kit consisting of: WC connector kit, lip seal for rinse arches	171-20350100-00
	Lever handle bolt for SLK / ELEGANCE and AVANTGARDE	171-68002200-00
	Lip seal for flush pipe bend, PU 10	171-20303000-00
	Lip seal for bottom valve, PU 10	171-64001500-00
	Band clamp for concealed cistern construction	171-20302700-00
	Band clamp for dry construction	171-20321400-00
	Styrofoam filling segment	171-20304100-00

No.	Description	Art.-No.
	Construction plugs yellow to PE drain elbow for concealed cisterns SLK / SLS	171-20110100-00
	Construction plugs yellow to flush pipe for concealed cisterns SLK / SLS	171-20299800-00
	Extension set for flush plates EXCLUSIVE and CLASSIC	171-20302500-00
	Extension set for flush plates ELEGANCE and AVANTGARDE	171-20302600-00




ACCESSORIES FOR CONCEALED CISTERNS SLS

Spare parts and exploded drawings

No.	Description	Art.-No.
	Spindle with slot for corner valve with wall grommet (from 01.2008 - 06.2016)	171-61300110-00
1	Wall duct with WERIT ball shut-off valve	171-61300600-00
2	Spray protection plate without lever bearing for SLS	171-69000400-00
3	Splash guard plate incl. lever bearing for SLS	171-69000700-00
4	Filling valve holder for SLS	171-69001300-00
5a	Flushing tube bracket with seal 820 mm for SLS	171-20264000-00
5b	Flushing tube bracket with seal 980 mm for SLS	171-20264100-00
6	Outlet valve 2.0 incl. floor valve SLS with closing plate	171-57616100-00
7	Closing plate PU 10 pcs.	171-69287100-00
8	Safety element for SLS, Hight 70 mm	171-69001400-00
9	Support frame for flush plate SLS	171-69000600-00
10	Fastening for support frame SLS	171-69001500-00
11	PE drainage bend DN 90/110, 295 x 120 mm	171-20100000-00
11a	PE drainage bend DN 90/90, 295x120 mm	171-20110000-00
11b	PP adapter set DN 90/110	171-20120000-00
12	Filler valve replacement kit SLS consisting of: filler valve, flexible connecting hose $\frac{3}{8}$ "	171-48750200-00
13	WC connector kit SLS consisting of: WC connector kit, lip seal for rinse arches	171-20350200-00
14	Lip seal for flush pipe bend SLS, PU 10	171-20300500-00
15	Lip seal for bottom valve, PU 10	171-64001500-00
16	1 set of lever handle bolts for SLS	171-69000800-00
	Straight connection piece, DN 90, 325 mm long	171-20302100-00
	Band clamp for dry construction	171-20321400-00
	Extension set for SLS	171-20302800-00
	Construction plugs yellow to PE drain elbow for concealed cisterns SLK / SLS	171-20110100-00

 **Suitable
Flushing plates**
you find from p. 90 and 91




ACCESSORIES FOR CONCEALED CISTERNS TSR

Spare parts and exploded drawings

No.	Description	Art.-No.
1	Messing Corner valve ½"	171-61300100-00
2	Spray protection plate incl. pressure bolts TSR	171-64000700-00
3	Lever bearing, complete TSR	171-64000400-00
4	1 set (2 pieces) quick fastening bolt and bolt pin	171-64000500-00
5	Outlet valve incl. floor valve with closing plate	171-57808100-00
6	PE drainage bend DN 90/110, 295 x 120 mm	171-20100000-00
6a	PE drainage bend DN 90/90 295 x 120 mm	171-20110000-00
6b	PP adapter set DN 90/110	171-20120000-00
7	Closing plate PU 10 pcs.	171-69287100-00
8	Filling valve holder	171-64001300-00
9	Filler valve replacement kit consisting of: filler valve, flexible connecting hose ¾"	171-48750100-00
10	WC connector kit consisting of: WC connector kit, lip seal for rinse arches	171-20350100-00
11	Lip seal for flush pipe bend, PU 10	171-20303000-00
12	Lip seal for bottom valve, PU 10	171-64001500-00
	Straight connection piece, DN 90, 325 mm long	171-20302100-00
	Extension set	171-20301900-00



Suitable
Flushing plates
you find on p. 93






ACCESSORIES FOR CONCEALED CISTERNS FRONT 6

Spare parts and exploded drawings

No.	Description	Art.-No.
1	Filling valve holder	171-61111300-00
2	PE drainage bend DN 90/110, 295 x 120 mm	171-20100000-00
2a	PE drainage bend DN 90/90 295 x 120 mm	171-20110000-00
2b	PP adapter set DN 90/110	171-20120000-00
3	Closing plate PU 10 pcs.	171-69287100-00
4	Filler valve replacement kit consisting of: filler valve, flexible connecting hose $\frac{3}{8}$ "	171-48750100-00
5	WC connector kit consisting of: WC connector kit, lip seal for rinse arches	171-20350100-00
6	Outlet valve incl. closing plate	171-57708000-00
7	Pull clamp with operating lever and operating rod	171-61300300-00
8	O-ring for connection nozzle, PU 10	171-20303200-00
9	Lip seal for flush pipe bend, PU 10	171-20303000-00
	Construction plugs yellow to flush pipe for concealed cisterns SLK / SLS	171-20299800-00



Suitable
Flushing plates
you find on p. 94




ACCESSORIES FOR CONCEALED CISTERNS TOP 6

Spare parts and exploded drawings

No.	Description	Art.-No.
1	Flushing plate complete incl. flushing lift	167-27030001-00
2	PE drainage bend DN 90/110, 295 x 120 mm	171-20100000-00
2a	PE drainage bend DN 90/90 295 x 120 mm	171-20110000-00
2b	PP adapter set DN 90/110	171-20120000-00
3	Closing plate 10 pcs.	171-69287100-00
4	Filler valve replacement kit consisting of: filler valve, flexible connecting hose $\frac{3}{8}$ "	171-48750100-00
5	WC connector kit consisting of: WC connector kit, lip seal for rinse arches	171-20350100-00
6	Filling valve holder	171-61111400-00
7	Outlet valve incl. closing plate	171-57707000-00
8	Pull clamp with operating lever and operating rod	171-61300500-00
9	O-ring for connection nozzle, PU 10	171-20303200-00
10	Lip seal for flush pipe bend, PU 10	171-20303000-00
	Straight connection piece, DN 90, 325 mm long	171-20302100-00





Suitable
Flushing plates
you find on p. 95



ACCESSORIES FOR CONCEALED CISTERNS 6-9 LITER

Spare parts and exploded drawings

No.	Description	Art.-No.
1	Retrofit for concealed cistern (only in connection with flush plate TSR)	171-20160000-00
2	Filling valve holder	171-61111500-00
3	Closing plate 10 pcs.	171-69287100-00
4	Filler valve replacement kit consisting of: filler valve, flexible connecting hose $\frac{3}{8}$ "	171-48750100-00
	WC connector kit consisting of: WC connector kit, lip seal for rinse arches	171-20350100-00
5	Outlet valve incl. closing plate	171-57706100-00
	O-ring for connection nozzle, PU 10 (Without illustration)	171-20303200-00
	Lip seal for flush pipe bend, PU 10 (Without illustration)	171-20303000-00



Notice:

Flushing plate no longer available
Alternative: Flushing plate TSR
Start/Stop + conversion kit.




**Suitable
Flushing plate**
you find from p. 93

**Conversion kits for concealed
cisterns 6-9 litres**
Art.-No. 171-20160000-00

**No. 14000300 - 14000800 on TSR
Start/Stop flushing plate until
2001**

✓ Mounting plate incl. accessories




Use the conversion kit and the flushing plates: TSR Start/Stop - see p. 93.

Notice:

TSR flushing plate start/stop function,
Height 190 mm, Width 340 mm,
Depth 39 mm

white
Art.-No. 167-27040001-00

matt chromed
Art.-No. 167-27040030-00







FLUSHING PLATES

for WC and Urinal

- » **New designs for your bathroom**
- » **Manual or electronic**
- » **Different colours and materials**

EXCLUSIVE 2.0 aseptic

sustainably effective against bacteria and germs

Dual-flush, for concealed cistern SLKplus

Height 168 mm, Width 225 mm, Depth 14 mm


white

Art.-No. 167-45000101-00



Product description:

- ✓ Plastic front panel, white
- ✓ Plastic push buttons
- ✓ Additive in the plastic destroys sustainably bacteria and germs
- ✓ Confirmed effectiveness by TÜV Rheinland
- ✓ Incl. holder frame
- ✓ Dual-flush
- ✓ Compl. assembly and fixing material
- ✓ Tool-free assembly
- ✓ Easy cleaning and care



NEWS

TESTED AND CONFIRMED

External laboratories confirm the germicidal effect.

The additive in the plastic of the plate prevents the growth and spread of bacteria. They are permanently destroyed.

EXCLUSIVE URINAL aseptic

sustainably effective against bacteria and germs


Manual operation, suitable for JOMOTech urinal element for EXCLUSIVE pressure flush with installation kit
Height 150,5 mm, Width 113 mm, Depth 10 mm

white


Art.-No. 167-65000101-00

Product description:

- ✓ Plastic front panel, white
- ✓ Plastic push buttons
- ✓ Additive in the plastic destroys sustainably bacteria and germs
- ✓ Confirmed effectiveness by TÜV Rheinland
- ✓ For EXCLUSIVE pressure flush with installation kit
- ✓ Incl. mechanical plastic cartridge with integrated nozzle bore pre-filter
- ✓ Flush quantity adjustable between 1-6 litres
- ✓ Incl. holder frame
- ✓ Compl. assembly and fixing material
- ✓ Tool-free assembly
- ✓ Easy cleaning and care



[KBE*/ml]



■ without additive
■ with additive

After just one hour, 50% of the of bacteria and germs are destroyed

* Concentration of the germ suspension
Germs used: ATCC 4157 E.Coli; ATCC 7468 M.luteus

SWITCH



timeless and elegant design

Dual-flush, for concealed cistern SLKplus

Height 150 mm, Width 230 mm, Depth 6 mm

white

Art.-No. **167-46000101-00**



Product description:

- ✓ Plastic front panel
- ✓ Plastic push buttons
- ✓ Incl. holder frame
- ✓ Dual-flush
- ✓ Compl. assembly and fixing material
- ✓ Tool-free assembly
- ✓ Easy cleaning and care

Note:

Double planking (min. 25 mm) planking (min. 25 mm) is required. necessary.

NEW

**Now also available in the trend colours
gold matt, copper and graphite**



black matt *1
Art. No: 167-46003838-00



gloss chromed*1
Art. No: 167-46003636-00



matt chromed*1
Art. No: 167-46003030-00



gold matt *1
Art. No: 167-46003939-00



copper *1
Art. No: 167-46001212-00



graphite *1
Art. No: 167-46001313-00

*1) Available 2nd quarter 2022

SWITCH

timeless and elegant design

Manual operation, suitable for JOMOTech urinal element for EXCLUSIVE pressure flush with installation kit
Height 150 mm, Width 113 mm, Depth 9 mm


white

Art.-No. 167-66000101-00



Product description:

- ✓ Plastic front panel
- ✓ Plastic push buttons
- ✓ Incl. holder frame
- ✓ Incl. mechanical plastic cartridge with integrated nozzle bore pre-filter
- ✓ Flush quantity adjustable between 1-6 litres
- ✓ Compl. assembly and fixing material
- ✓ Easy cleaning and care



NEW



black matt *2
Art. No: 167-66003838-00



gloss chromed *2
Art. No: 167-66003636-00



matt chromed *2
Art. No: 167-66003030-00


*2) on request

E·MOTION

Light accents in the bathroom

Dual-flush with electronic touch control, for concealed cistern SLKplus
Height 150 mm, Width 230 mm, Depth 5 mm

Glass white matt
Art.-No. **172-80001180-00**



Product description:

- ✓ Glass front panel
- ✓ Incl. holder frame
- ✓ Incl. electronic module
- ✓ Incl. lever bearing
- ✓ Dual-flush by touch activation
- ✓ Flush quantity 6 L and 3 L
- ✓ Compl. assembly and fixing material
- ✓ Easy cleaning and care
- ✓ Without transformer

Optional accessories:

- ✓ Transformer E-MOTION, supply voltage 230 V, output 24 V DC, for 1 to max. 2 units
Art.-No. 172-64002500-00
- ✓ Transformer E-MOTION, supply voltage 230 V, output 24 V DC, for 3 to max. 4 units
Art.-No. 172-64002600-00
- ✓ Lever bearing E-MOTION
Art.-No. 172-64002400-00

NEWS



Glass black matt
Art.-No.: 162-80001120-00



Glass black classic
Art.-No.: 172-80009005-00




Glass white classic
Art.-No.: 172-80009003-00

E·VOLUTION

touchless and individually controllable

Dual-flush with electronic touch control, for concealed cistern SLKplus
Height 174 mm, Width 261 mm, Depth 17 mm

Glass white
Art.-No. **172-81009003-00**



NEWS

Product description:

- ✓ Glass front panel
- ✓ Flush via wireless control / touchless, soft touch or support folding handle possible
- ✓ Incl. holder frame
- ✓ Incl. electronic module
- ✓ Incl. lever bearing
- ✓ Dual-flush by touch activation
- ✓ Flush quantity preset, small quantity 3-4 litres, large quantity 6-6.5 litres, via web interface adjustable
- ✓ Stagnation flush every 24 hours after the last flush, adjustable via web interface
- ✓ Stadium mode self-recognising and can be switched on and off
- ✓ Wi-Fi control
- ✓ Individual colours of the LEDs adjustable
- ✓ Compl. assembly and fixing material
- ✓ Easy cleaning and care
- ✓ Ideal for the private and public area
- ✓ Without power supply

Optional accessories:

- ✓ A power supply unit is required for commissioning. We recommend the following power supply unit:
Power supply unit for WC control unit, Input: 100 - 240 V, Output: 12V, with 2.95m KCC cable
Art.No. 172-64002300-00

EXCLUSIVE 2.0

Dual-flush, for concealed cistern SLKplus
Height 168 mm, Width 255 mm, Depth 14 mm


white
Art.-No. 167-34000101-00



Product description:

- ✓ Plastic front panel
- ✓ Plastic push buttons
- ✓ Incl. holder frame
- ✓ Dual-flush
- ✓ Compl. assembly and fixing material
- ✓ Tool-free assembly
- ✓ Easy cleaning and care

Notice:
Other colours on request.



black matt
Art.-No.: 167-34003838-00



white / matt chromed
Art.-No.: 167-34000130-00



matt chromed
Art.-No.: 167-34003030-00



gloss chromed / black
Art.-No.: 167-34003618-00



chrome steel
Art.-No.: 167-34005353-00



graphite
Art. No: 167-34001313-00



white / black
Art.-No.: 167-34000118-00



white / stainless steel optik
Art.-No.: 167-34000137-00



matt chromed / black
Art.-No.: 167-34003018-00



gloss chromed / white
Art.-No.: 167-34003601-00



gold matt
Art.-No.: 167-34003939-00



white / gloss chromed
Art.-No.: 167-34000136-00



matt chromed / white
Art.-No.: 167-34003001-00



gloss chromed / gloss chromed
Art.-No.: 167-34003636-00



Stainless steel optik
Art.-No.: 167-34003737-00





copper
Art. No: 167-34001212-00

EXCLUSIVE 2.1

Dual-flush, for concealed cistern SLKplus, base plate gloss chromed
Height 174 mm, Width 261 mm, Depth 18 mm

Glass white
Art.-No. 167-41009003-00



Product description:

- ✓ Glass front panel
- ✓ Glass push buttons
- ✓ Plastic base plate
Incl. holder frame
- ✓ Incl. holder frame
- ✓ Dual-flush
- ✓ Tool-free assembly
- ✓ Compl. assembly and fixing material
- ✓ Easy cleaning and care

Notice:

Other colours on request.



white matt
Art.-No.: 167-41001180-00



black matt
Art.-No.: 167-41001120-00



mirror graphite
Art.-No.: 167-41001901-00



beige
Art.-No.: 167-41001020-00



black classic
Art.-No.: 167-41009005-00



mirror bronze
Art.-No.: 167-41001902-00



green satined
Art.-No.: 167-41001261-00



black metallic
Art.-No.: 167-41001820-00

EXCLUSIVE 2.1

Dual-flush, for concealed cistern SLKplus, base plate black matt or white
Height 174 mm, Width 261 mm, Depth 18 mm



Glass white, base plate white
Art.-No. 167-37009003-00

Product description:

- ✓ Glass front panel
- ✓ Glass push buttons
- ✓ Plastic base plate
- ✓ Incl. holder frame
- ✓ Dual-flush
- ✓ Tool-free assembly
- ✓ Compl. assembly and fixing material
- ✓ Easy cleaning and care

Notice:

Other colours on request.



NEWS

Base plate black matt



black matt
Art.-No.: 167-44001120-00



black metallic
Art.-No.: 167-44001820-00



black classic
Art.-No.: 167-44009005-00

Base plate white



white matt
Art.-No.: 167-37001180-00



white
Art.-No.: 167-37009003-00



beige
Art.-No.: 167-37001020-00



black matt
Art.-No.: 167-37001120-00



black classic
Art.-No.: 167-37009005-00



black metallic
Art.-No.: 167-37001820-00



mirror graphite
Art.-No.: 167-37001901-00




mirror bronze
Art.-No.: 167-37001902-00

EXCLUSIVE 2.2

Dual-flush, for concealed cistern SLKplus, base plate gloss chromed
Height 174 mm, Width 261 mm, Depth 18 mm

Glass white
Art.-No. 167-42009003-00



Product description:

- ✓ Glass front panel
- ✓ Plastic push buttons
- ✓ Plastic base plate
- ✓ Incl. holder frame
- ✓ Dual-flush
- ✓ Tool-free assembly
- ✓ Compl. assembly and fixing material
- ✓ Easy cleaning and care

Notice:

Other colours on request.



white matt
Art.-No.: 167-42001180-00



black matt
Art.-No.: 167-42001120-00



mirror graphite
Art.-No.: 167-42001901-00



beige
Art.-No.: 167-42001020-00



black classic
Art.-No.: 167-42009005-00



mirror bronze
Art.-No.: 167-42001902-00



green satined
Art.-No.: 167-42001261-00



black star glasses
Art.-No.: 167-42001820-00

EXCLUSIVE URM-K


Manual activation, for JOMOTech Urinal element
Height 150,5 mm, Width 113 mm, Depth 10 mm

white

Art.-No. 167-60000101-00

Product description:

- ✓ For EXCLUSIVE pressure flush with installation kit
- ✓ Plastic front panel
- ✓ Plastic push buttons
- ✓ Incl. holder frame
- ✓ Incl. mechanical plastic cartridge with integrated nozzle bore pre-filter
- ✓ Flush quantity adjustable between 1-6 litres
- ✓ Compl. assembly and fixing material
- ✓ Easy cleaning and care



black matt
Art.-No.: 167-60003838-00



white / matt chromed
Art.-No.: 167-60000130-00



matt chromed
Art.-No.: 167-60003030-00



gloss chromed / black
Art.-No.: 167-60003618-00



chrome steel
Art.-No.: 167-60005353-00



white / black
Art.-No.: 167-60000118-00



white / stainless steel optik
Art.-No.: 167-60000137-00



matt chromed / black
Art.-No.: 167-60003018-00



gloss chromed / white
Art.-No.: 167-60003601-00



white / gloss chromed
Art.-No.: 167-60000136-00



matt chromed / white
Art.-No.: 167-60003001-00



gloss chromed
Art.-No.: 167-60003636-00




Stainless steel optik
Art.-No.: 167-60003737-00

EXCLUSIVE URM-G

Manual activation, for JOMOTech Urinal element, base plate gloss chromed
Height 156,5 mm, Width 119 mm, Depth 14 mm

white

Art.-No. 167-61009003-00



Product description:

- ✓ For EXCLUSIVE pressure flush with installation kit
- ✓ Glass front panel
- ✓ Plastic base plate
- ✓ Plastic push buttons
- ✓ Incl. holder frame
- ✓ Incl. mechanical plastic cartridge with integrated nozzle bore pre-filter
- ✓ Flush quantity adjustable between 1-6 litres
- ✓ Compl. assembly and fixing material
- ✓ Easy cleaning and care

Notice:

Other colours on request.



white matt
Art.-No.: 167-61001180-00



black matt
Art.-No.: 167-61001120-00



mirror graphite
Art.-No.: 167-61001901-00



beige
Art.-No.: 167-61001020-00



black classic
Art.-No.: 167-61009005-00



mirror bronze
Art.-No.: 167-61001902-00



green satined
Art.-No.: 167-61001261-00



black metallic
Art.-No.: 167-61001820-00

Base plate black matt



black matt
Art.-No.: 167-64001120-00

EXCLUSIVE URI-K



touchless via infrared

Infrared 6 V battery, for JOMOTech Urinal element

Height 150,5 mm, Width 113 mm, Depth 10 mm

white

Art.-No. 172-67000101-00



Product description:

- ✓ Touchless flushing device
- ✓ For EXCLUSIVE pressure flush with installation kit
- ✓ Plastic front panel
- ✓ Incl. holder frame
- ✓ Incl. CR-P2 lithium battery
- ✓ Incl. electronic module
- ✓ Incl. cartridge solenoid valve with pre-filter
- ✓ Incl. diagnostic light in sensor window
- ✓ Incl. diode for battery status and range setting
- ✓ Battery compartment in mounting frame
- ✓ Flush quantity adjustable from 0.7 to 3 litres in 4 stages (0.7; 1; 2; and 3 litres)
- ✓ Stagnation flush every 24 hours after the last flush
- ✓ Stadium mode self-recognising and can be switched on and off
- ✓ Compl. assembly and fixing material
- ✓ Easy cleaning and care

INFRARED 6 V



matt chromed
Art.-No.: 172-67003030-00



gloss chromed
Art.-No.: 172-67003636-00





black matt
Art.-No.: 172-67003838-00



chrome steel
Art.-No. 172-67005353-00

Infrared 230 V, for JOMOTech Urinal element
Height 150,5 mm, Width 113 mm, Depth 10 mm

white
Art.-No. 172-69000101-00



Product description:

- ✓ Touchless flushing device
- ✓ For EXCLUSIVE pressure flush with installation kit
- ✓ Plastic front panel
- ✓ Incl. holder frame
- ✓ Power supply 100-230 V AC, 50-60 Hz
- ✓ Incl. power supply unit
- ✓ Incl. electronic module
- ✓ Incl. cartridge solenoid valve with pre-filter
- ✓ Incl. diagnostic light in sensor window
- ✓ Incl. range adjustment
- ✓ Flush quantity from 0.7 to 3 litres
- ✓ Stagnation flush every 24 hours after the last flush
- ✓ Stadium mode self-recognising and can be switched on and off
- ✓ Compl. assembly and fixing material
- ✓ Easy cleaning and care

INFRARED 230 V



matt chromed
Art.-No.: 172-69003030-00



gloss chromed
Art.-No.: 172-69003636-00



black matt
Art.-No.: 172-69003838-00



chrome steel
Art.-No. 172-69005353-00

EXCLUSIVE URI-G



touchless via infrared

Infrared 6 V battery, for JOMOTech Urinal element, base plate gloss chromed

Height 156,5 mm, Width 119 mm, Depth 14 mm

Glass white

Art.-No. 172-68009003-00



Product description:

- ✓ Touchless flushing device
- ✓ For EXCLUSIVE pressure flush with installation kit
- ✓ Glass front panel
- ✓ Plastic base plate
- ✓ Incl. holder frame
- ✓ Incl. CR-P2 lithium battery
- ✓ Incl. electronic module
- ✓ Incl. cartridge solenoid valve with pre-filter
- ✓ Incl. diagnostic light in sensor window
- ✓ Incl. diode for battery status and range setting
- ✓ Battery compartment in mounting frame
- ✓ Flush quantity from 0.7 to 3 litres in 4 levels (0.7; 1; 2; and 3 litres) adjustable
- ✓ Stagnation flush every 24 hours after the last flush
- ✓ Stadium mode self-recognising and can be switched on and off
- ✓ Compl. assembly and fixing material
- ✓ Easy cleaning and care

Notice:

Other colours on request.

INFRARED 6 V



beige
Art.-No.: 172-68001020-00



black metallic
Art.-No.: 172-68001820-00



green satined
Art.-No.: 172-68001261-00



mirror graphite
Art.-No.: 172-68001901-00



black classic
Art.-No.: 172-68009005-00





mirror bronze
Art.-No.: 172-68001902-00

Infrared 230 V, für JOMOTech Urinal element, base plate gloss chromed
Height 156,5 mm, Width 119 mm, Depth 14 mm

Glass white

Art.-No. 172-70009003-00



Product description:

- ✓ Touchless flushing device
- ✓ For EXCLUSIVE pressure flush with installation kit
- ✓ Glass front panel
- ✓ Plastic base plate
- ✓ Incl. holder frame
- ✓ Power supply 100-230 V AC, 50-60 Hz
- ✓ Incl. power supply unit
- ✓ Incl. electronic module
- ✓ Incl. cartridge solenoid valve with pre-filter
- ✓ Incl. diagnostic light in sensor window,
- ✓ Incl. range adjustment
- ✓ Flush quantity from 0.7 to 3 litres
- ✓ Stagnation flush every 24 hours after the last flush
- ✓ Stadium mode self-recognising and can be switched on and off
- ✓ Compl. assembly and fixing material
- ✓ Easy cleaning and care

Notice:

Other colours on request.

INFRARED 230 V



beige
Art.-No.: 172-70001020-00



black metallic
Art.-No.: 172-70001820-00



green satined
Art.-No.: 172-70001261-00



mirror graphite
Art.-No.: 172-70001901-00



black classic
Art.-No.: 172-70009005-00



mirror bronze
Art.-No.: 172-70001902-00

ELEGANCE 2.0

Dual-flush, for concealed cistern SLKplus, base plate gloss chromed
Height 183 mm, Width 270 mm, Depth 17 mm


Glass white
Art.-No. 167-35009003-00

Product description:

- ✓ Glass front panel with overhang
- ✓ Plastic push buttons, gloss chromed
- ✓ Plastic base plate
- ✓ Incl. holder frame
- ✓ Dual-flush
- ✓ Compl. assembly and fixing material

Notice:

Other colours on request.



white matt
Art.-No.: 167-35001180-00



black matt
Art.-No.: 167-35001120-00



mirror graphite
Art.-No.: 167-35001901-00



beige
Art.-No.: 167-35001020-00



black classic
Art.-No.: 167-35009005-00



mirror bronze
Art.-No.: 167-35001902-00



green satined
Art.-No.: 167-35001261-00





black metallic
Art.-No.: 167-35001820-00

AVANTGARDE

Dual-flush, for concealed cistern SLKplus
Height 173 mm, Width 260 mm, Depth 14 mm

Glass white
Art.-No. **167-30009003-00**



Product description:

- ✓ Glass front panel flush in frame
- ✓ Brass push buttons, gloss chromed
- ✓ Incl. holder frame
- ✓ Dual-flush
- ✓ Compl. assembly and fixing material

Notice:
Other colours on request.



white matt
Art.-No.: 167-30001180-00



black matt
Art.-No.: 167-30001120-00



mirror graphite
Art.-No.: 167-30001901-00



wood beech
Art.-No.: 167-3000HZBU-00



beige
Art.-No.: 167-30001020-00



black classic
Art.-No.: 167-30009005-00



mirror bronze
Art.-No.: 167-30001902-00



Slate dark gray
Art.-No.: 167-3000SCGR-00



green satined
Art.-No.: 167-30001261-00



black metallic
Art.-No.: 167-30001820-00



wood cherry
Art.-No.: 167-3000HZKI-00




granit black
Art.-No.: 167-3000GRSW-00

Dual-flush, for concealed cistern SLS

Height 147 mm, Width 218 mm, Depth 11 mm

white

Art.-No. 167-32000101-00




Product description:

- ✓ Plastic front panel
- ✓ Plastic push buttons
- ✓ Incl. holder frame
- ✓ Incl. pressure bolts
- ✓ Dual-flush
- ✓ Compl. assembly and fixing material

Notice:

Other colours on request.



white / black
Art.-No.: 167-32000118-00



white / stainless steel optik
Art.-No.: 167-32000137-00



matt chromed / black
Art.-No.: 167-32003018-00



gloss chromed / white
Art.-No.: 167-32003601-00



white / matt chromed
Art.-No.: 167-32000130-00



matt chromed / white
Art.-No.: 167-32003001-00



gloss chromed
Art.-No.: 167-32003636-00



stainless steel optik
Art.-No.: 167-32003737-00



white / gloss chromed
Art.-No.: 167-32000136-00



matt chromed
Art.-No.: 167-32003030-00



gloss chromed / black
Art.-No.: 167-32003618-00



black matt
Art.-No.: 167-32003838-00

AMBIENTE


Dual-flush, for concealed cistern SLS, base plate gloss chromed
Height 155 mm, Width 228 mm, Depth 14 mm

Glass white
Art.-No. 167-33009003-00

Product description:

- ✓ Glass front panel
- ✓ Plastic push buttons
- ✓ Plastic base plate
- ✓ Incl. holder frame
- ✓ Incl. pressure bolts

Notice:
Other colours on request.



white matt
Art.-No.: 167-33001180-00



black matt
Art.-No.: 167-33001120-00



mirror graphite
Art.-No.: 167-33001901-00



beige
Art.-No.: 167-33001020-00



black classic
Art.-No.: 167-33009005-00



mirror bronze
Art.-No.: 167-33001902-00



green satined
Art.-No.: 167-33001261-00



black metallic
Art.-No.: 167-33001820-00

CLASSIC

Start/stop function or dual-flush technology for concealed cistern SLKplus
Height 168 mm, Width 255 mm, Depth 23 mm







white, start/stop function
Art.-No. 167-27060001-00

Product description:


- ✓ Plastic front panel
- ✓ Plastic push buttons
- ✓ Incl. holder frame
- ✓ Start/stop function or dual-flush technology

Notice:

Other colours on request.




START/STOP



gloss chromed
Art.-No.: 167-27060036-00
matt chromed / without ABB
Art.-No.: 167-27060030-00

DUAL-FLUSH



white
Art.-No.: 167-27070001-00
gloss chromed / without ABB
Art.-No.: 167-27070036-00
matt chromed / without ABB
Art.-No.: 167-27070030-00



Chrome steel with special screws
Art.-No.: 167-27060053-00

TSR



Start/stop function or dual-flush technology for concealed cistern TSR
Height 190 mm, Width 340 mm, Depth 39 mm

white
Art.-No. 167-27040001-00

Product description:

- ✓ Plastic front panel
- ✓ Plastic push buttons
- ✓ Incl. holder frame
- ✓ Start/stop function or dual-flush technology

Notice:
Other colours on request.



START/STOP



matt chromed
Art.-No.: 167-27040030-00

DUAL-FLUSH



white
Art.-No.: 167-27050001-00
matt chromed / without ABB
Art.-No.: 167-27050030-00

E·STEEL

non-contact and individually controlled

stainless steel

Art.-Nr: 172-80005353-00



Dual flush for SLKplus concealed cistern
height 162 mm, width 250 mm, depth 13 mm

Product description:

- ✓ Stainless steel front panel Includes mounting frame Includes electronic module (24 V DC operating voltage)
- ✓ Radio trigger control / reacts to the user in front of the sensor with a range of max. 70 cm and a dwell time of at least 7.5 seconds.
- ✓ „Short flush“ (2 sec.) = Min. dwell time of 7.5 sec. in the sensor area. Up to max. 45 sec.
„Long flush“ (5 sec.) = Min. residence time in the sensor area 45 sec. „Automatic hygienic flush“ after eight toilet uses and automatic hygienic flush after 24 hours if not used
- ✓ Parameter changes adjustable via remote control
- ✓ Additional dual flush option at the press of a button (e.g. when cleaning)
- ✓ Easy to clean and maintain Ideal for use in public

Optional accessories:


- ✓ External power supply 24 V DC for operating up to 2 flush toilets
- ✓ 24 V DC external power supply for operation of up to 4 flush toilets

FRONT 6

Start/stop function for concealed cistern FRONT 6
Height 215 mm, Width 215 mm, Depth 33,5 mm

white
Art.-No. 167-27020001-00

START/STOP



matt chromed / without ABB
Art.-No.: 167-27020030-00

Product description:

- ✓ Plastic front panel
- ✓ Plastic push buttons
- ✓ Incl. holder frame
- ✓ Start/stop function

Notice:



Other colours on request.

TOP 6

Start/stop function for concealed cistern TOP 6, actuation from top
Height 20 mm, Width 317 mm, Depth 127 mm

white
Art.-No. 167-27030001-00

START/STOP



matt chromed / without ABB
Art.-No.: 167-27030030-00

Product description:

- ✓ Plastic front panel
- ✓ Plastic push buttons
- ✓ Incl. holder frame
- ✓ Start/stop function

Notice:

Other colours on request.

JOMO TRONIC

Automatic urinal flush with concealed sensor

Art.-No. **172-64001800-00**

JOMO
tronic



Product description:

- ✓ Detection by level changes inside the suction fitting
- ✓ Solenoid valve with throttle ring and O-ring
- ✓ Electronics box
- ✓ Siphon
- ✓ Mains voltage 230 V / 50 Hz or 110 V / 60 Hz without change-over switch (with internal power supply unit)
- ✓ Preset flushing time 8 seconds
- ✓ Water pressure 0.3 - 10 bar
- ✓ Flow rate 20 L /min (at 3 bar)
- ✓ Power consumption 1.5 VA max.
- ✓ Stagnation flush every 24 hours after the last flush
- ✓ Stadium mode
- ✓ Factory settings can be changed by using the app for Android smartphones
- ✓ Compl. assembly and fixing material

Notice:

Ideal for the public as no inspection opening is visible. The sensitive technology disappears behind the wall.

Accessories and spare parts for urinal to JOMO electronics

Description	Art.-No.
Roughing-UP urinal flush valve for wet construction	172-64001500-00
Replacement cartridge incl. nut and adjusting pin for concealed urinal flusher	172-64001600-00
Solenoid valve with throttle ring and O-ring to the concealed urinal flush (Throttle ring not shown)	172-64001700-00
Electronics box for JOMO Tronic	172-64001900-00
Siphon for JOMO Tronic	172-64002000-00
Power supply unit for Urinal EXCLUSIVE	172-64002100-00
Battery for Urinal EXCLUSIVE	172-64002200-00
Power supply unit E-MOTION, Supply voltage 230 V, Output 24 V DC, for 1 to max. 2 units	172-64002500-00
Power supply unit E-MOTION, Supply voltage 230 V, Output 24 V DC, for 3 to max. 4 units	172-64002600-00
Lever bearing E-MOTION	172-64002400-00
Power supply unit for WC control unit E-VOLUTION, Input: 100 - 240 V, Output: 12V, with 2,95m KCC management	172-64002200-00

ACCESSORIES / SPARE PARTS

Automatic urinal flush with concealed sensor

Art.-No. **172-64001500-00**



Art.-No. **172-64001600-00**



Art.-No. **172-64001700-00**



Art.-No. **172-64001900-00**



Art.-No. **172-64002000-00**



FILLING VALVE

LOKUS-POKUS® Filling valve Art.-No. 174-48800000-00




Product description:

- ✓ Water connection 3/8"
- ✓ Silent filling process
- ✓ Water quantity infinitely adjustable
- ✓ Sound class I
- ✓ KIWA tested

Notice:

Suitable for all commercially available plastic and porcelain cisterns.



SERVICE-BOX 2.0 Art.-No. 171-48888800-00



Product description:

- ✓ Lid included
- ✓ Including 10 filling valves packed in a polybag
- ✓ Can be used as a stack and nest box
- ✓ Clean and space-saving nestable inside each other
- ✓ PU: 6, 12, 18 or 50 pieces (pallet)

Notice:

Also available with company colour and/or logo.

OTHER

TOOL-BOX

Art.-No. 171-69999900-00

Equipped with spare parts for concealed cisterns for quick use on location.



Product description:


- ✓ Spare parts as per description
- ✓ Can be used as a stack and nest box
- ✓ Clean and space-saving nestable inside each other
- ✓ PU: 6, 12, 18 or 50 pieces (pallet)

Notice:

Also available with company colour and/or logo.

Spare parts:

- ✓ Drain valve 2.0 for SLKplus incl. bottom valve and splash guard plate, Art.-No. 171-57919100-00
- ✓ O-ring for connection hose, PU 10 pieces, Art.-No. 171-20303100-00
- ✓ Closing plate 10 pcs., Art.-No. 171-69287100-00
- ✓ Spindle with slot for corner valve with wall grommet bis 06/2016, Art.-No. 171-61300110-00
- ✓ Quick fastening bolt and bolt pin for SLKplus and TSR, 1 set, Art.-No. 171-64000500-00
- ✓ Filling valve spare parts set with filling valve and flexible connection hose 3/8", Art.-No. 171-48750100-00
- ✓ Lip seal for bottom valve for SLKplus and TSR, PU 10 pieces, Art.-No. 171-64001500-00
- ✓ Lip seal for flush pipe bend, PU 10 pieces, Art.-No. 171-20303000-00



All-purpose box

Art.-No. 180-11100162-00



Product description:

- ✓ Can be used as a stack and nest box
- ✓ Clean and space-saving nestable inside each other
- ✓ 4 pieces fit into the SHK stack and nest container
- ✓ Including inch bar on the edge
- ✓ Different fan sizes
- ✓ PU: 20, 40, 60 or 500 pcs. (pallet)

Notice:

Ideal storage space for various small parts. Optimal companion in the electrical or installer sector.

Also available with company colour and/or logo.

NUMBER INDEX

Article numbers and associated page numbers

Art.-No.	Page	Art.-No.	Page	Art.-No.	Page
Concealed cisterns for walling in and out		167-33001901-00	91	167-42009003-00	81
164-14300400-00	56	167-33001902-00	91	167-42009005-00	81
164-14600400-00	56	167-33009003-00	91	167-44001120-00	79
164-14600700-00	56	167-33009005-00	91	167-44001820-00	79
		167-34000101-00	78	167-44009005-00	79
Flushing plates		167-34000118-00	78	167-45000101-00	72
167-27020001-00	94	167-34000130-00	78	167-46000101-00	74
167-27020030-00	94	167-34000136-00	78	167-46003838-00	74
167-27030001-00	95	167-34000137-00	78	167-46003636-00	74
167-27030030-00	95	167-34003001-00	78	167-46003030-00	74
167-27040001-00	93	167-34003018-00	78	167-60000101-00	82
167-27040030-00	93	167-34003030-00	78	167-60000118-00	82
167-27050001-00	93	167-34003601-00	78	167-60000130-00	82
167-27050030-00	93	167-34003618-00	78	167-60000136-00	82
167-27060001-00	92	167-34003636-00	78	167-60000137-00	82
167-27060030-00	92	167-34003737-00	78	167-60003001-00	82
167-27060036-00	92	167-34003838-00	78	167-60003018-00	82
167-27060053-00	92	167-34003939-00	78	167-60003030-00	82
167-27070001-00	92	167-34005353-00	78	167-60003601-00	82
167-27070030-00	92	167-35001020-00	88	167-60003618-00	82
167-27070036-00	92	167-35001120-00	88	167-60003636-00	82
167-30001020-00	89	167-35001180-00	88	167-60003737-00	82
167-30001120-00	89	167-35001261-00	88	167-60003838-00	82
167-30001180-00	89	167-35001820-00	88	167-60005353-00	82
167-30001261-00	89	167-35001901-00	88	167-61001020-00	83
167-30001820-00	89	167-35001902-00	88	167-61001120-00	83
167-30001901-00	89	167-35009003-00	88	167-61001180-00	83
167-30001902-00	89	167-35009005-00	88	167-61001261-00	83
167-30009003-00	89	167-37001020-00	80	167-61001820-00	83
167-30009005-00	89	167-37001120-00	80	167-61001901-00	83
167-3000CR53-00	89	167-37001180-00	80	167-61001902-00	83
167-3000GRSW-00	89	167-37001261-00	80	167-61009003-00	83
167-3000HZBU-00	89	167-37001820-00	80	167-61009005-00	83
167-3000HZKI-00	89	167-37001901-00	80	167-64001120-00	83
167-3000SCGR-00	89	167-37001902-00	80	167-65000101-00	73
167-32000101-00	90	167-37009003-00	80	167-66000101-00	75
167-32000118-00	90	167-37009005-00	80	167-66003838-00	75
167-32000130-00	90	167-41001020-00	79	167-66003636-00	75
167-32000136-00	90	167-41001120-00	79	167-66003030-00	75
167-32000137-00	90	167-41001180-00	79		
167-32003001-00	90	167-41001261-00	79	Accessories / spare parts	
167-32003018-00	90	167-41001820-00	79	171-20100000-00	58,60,62,64,66
167-32003030-00	90	167-41001901-00	79	171-20110000-00	58,60,62,64,66
167-32003601-00	90	167-41001902-00	79	171-20120000-00	58,60,62,64,66
167-32003618-00	90	167-41009003-00	79	171-20160000-00	66
167-32003636-00	90	167-41009005-00	79	171-20264000-00	60
167-32003737-00	90	167-42001020-00	81	171-20264100-00	60
167-32003838-00	90	167-42001120-00	81	171-20286101-00	100,101,102,103,104
167-33001020-00	91	167-42001180-00	81	171-20286103-00	101
167-33001120-00	91	167-42001261-00	81	171-20286106-00	100,101
167-33001180-00	91	167-42001820-00	81	171-20286119-00	100,101
167-33001261-00	91	167-42001901-00	81	171-20301900-00	62
167-33001820-00	91	167-42001902-00	81	171-20302500-00	59

Art.-No.	Page	Art.-No.	Page	Art.-No.	Page
171-20302600-00	59	171-68001800-00	58	172-80001120-00	76
171-20302800-00	60	171-68002000-00	58	172-80001180-00	76
171-20303000-00	58,60,62,64,66,68	171-68002100-00	58	172-80009003-00	76
171-20303200-00	64,66,68	171-68002200-00	58	172-80009005-00	76
171-20340000-00	15,16	171-69000400-00	60	172-81009003-00	77
171-20350100-00	58,60,62,64,66,68	171-69000600-00	60	172-81009005-00	77
171-23552001-00	101	171-69000700-00	60		
171-23552003-00	101	171-69000800-00	60	JOMOTech individual elements and accessories	
171-23552006-00	101	171-69001300-00	60	173-30030000-00	50
171-23552019-00	101	171-69001400-00	60	173-50100100-00	50
171-26552001-00	100	171-69001500-00	60	174-60000100-00	51
171-26552006-00	100	171-69287100-00	58,60,62,64,66,68	174-60000200-00	51
171-26552019-00	100	174-70019001-00	15	174-60000300-00	52
171-26552101-00	103			174-60000400-00	52
171-27552001-00	102	Accessories for electronics		174-60000500-00	53
171-28552001-00	104	172-64001500-00	96	174-60000600-00	53
171-48750100-00	58,62,64,66,68	172-64001600-00	96	174-60000700-00	53
171-48750200-00	60	172-64001700-00	96	174-60000800-00	15,17,51
171-48750300-00	100,101,102,103,104	172-64001800-00	96	174-60000900-00	15,17
171-48800000-00	98	172-64001900-00	96	174-70000300-00	42
171-57616100-00	60	172-64002000-00	96	174-70000400-00	43
171-57701000-00	102	172-64002100-00	96	174-70000500-00	44
171-57702000-00	103	172-64002200-00	96	174-70000600-00	44
171-57702100-00	100	172-64002300-00	77,96	174-70000700-00	44
171-57703036-00	104	172-64002400-00	76,96	174-70000800-00	47
171-57705000-00	101	172-64002500-00	76,96	174-70000900-00	15,17
171-57706100-00	68	172-64002600-00	76,96	174-70001000-00	45
171-57707000-00	66			174-70001100-00	45
171-57708000-00	64	Flushing plates with electronics		174-70001200-00	46
171-57808100-00	62	172-67000101-00	84	174-70001300-00	46
171-57919100-00	58	172-67003030-00	84	174-70001800-00	48
171-60173000-00	105	172-67003636-00	84	174-70010100-00	49
171-60273000-00	105	172-67003838-00	84	174-70010200-00	49
171-60279000-00	68	172-67005353-00	84	174-80000000-00	36
171-60956100-00	105	172-68001020-00	86	174-80050100-00	39
171-61111300-00	64	172-68001261-00	86	174-81100000-00	37
171-61111400-00	66	172-68001820-00	86	174-82100000-00	38
171-61111500-00	68	172-68001901-00	86	174-82200000-00	39
171-61300100-00	62	172-68001902-00	86	174-82300000-00	39
171-61300110-00	58,60,	172-68009003-00	86	174-91100000-00	10
171-61300300-00	64	172-68009005-00	86	174-91100100-00	10
171-61300500-00	66	172-69000101-00	85	174-91101500-00	11
171-61300600-00	58,60,	172-69003030-00	85	174-91102000-00	11
171-64000400-00	62	172-69003636-00	85	174-91102100-00	11
171-64000500-00	58,62	172-69003838-00	85	174-91180000-00	14, 17
171-64000700-00	62	172-69005353-00	85	174-91200000-00	13
171-64001300-00	62	172-70001020-00	87	174-91300000-00	12
171-64001500-00	58,60,62,64,66,68	172-70001261-00	87	174-92100000-00	20
171-68000400-00	58	172-70001820-00	87	174-92100200-00	22
171-68000600-00	58	172-70001901-00	87	174-92100300-00	23
171-68000700-00	58	172-70001902-00	87	174-92100400-00	21
171-68001000-00	58	172-70009003-00	87	174-92200000-00	22
171-68001300-00	58	172-70009005-00	87	174-92200200-00	21

NUMBER INDEX

Article numbers and associated page numbers

Art.-No.	Page
174-93000000-00	26
174-93000100-00	27
174-93000200-00	27
174-93000300-00	27
174-93000500-00	28
174-93000600-00	28
174-94000000-00	32
174-94200100-00	33

Other	
171-48888800-00	98
171-69999900-00	99
180-11100162-00	99

Perfection in Technology + Design

JOMO

PRODUCT CATALOGUE

JOMO – A BRAND BY THE WERIT GROUP

PL-55-330 Błonie gm. Miękinia

ul. Zachodnia 2B

Phone +48 71 3362595

Fax +48 71 3336500

WERIT Branches:

PL-55-330 Błonie gm. Miękinia · CZ-619 00 Brno

D-57610 Altenkirchen · D-53567 Buchholz

D-01458 Ottendorf-Okrilla

A-6700 Bludenz · CH-8105 Regensdorf, Zürich

F-67160 Wissembourg · F-26200 Montélimar E-08403

Granollers, Barcelona · GB-Manchester

www.werit.eu